

ATTACHMENT F  
75500: LED, INTERTEK DIRECTORY  
DATED 08/09



### Directory of LED Traffic Signal Modules Certified Products

Intertek's LED Traffic Signal Certification Program provides manufacturers with independent, third-party test data and Intertek's ETL Verified product labeling for products that comply with the consensus ITE requirements. The ETL Verified mark, a signal of quality and performance, gives manufacturers a means of differentiation in a competitive marketplace, and fortifies consumer confidence in product quality.

ATTACHMENT F  
 75500: LED, INTERTEK DIRECTORY  
 DATED 08/09

ITE Vehicle Traffic Control Signal Heads: LED Circular Signal Supplement (Adopted June 27, 2005)

<u>Manufacturer</u>	<u>Signal</u>	<u>Size</u>	<u>Color</u>	<u>Lens Type</u>	<u>Catalogue Number</u>
GE Lumination	LED Ball	8-inch	Red	Tinted	DR4-RTFB-17A
GE Lumination	LED Ball	8-inch	Red	Clear	DR4-RCFB-17A
GE Lumination	LED Ball	8-inch	Yellow	Tinted	DR4-YTFB-17A-YX
GE Lumination	LED Ball	8-inch	Yellow	Clear	DR4-YCFB-17A-YX
GE Lumination	LED Ball	8-inch	Green	Tinted	DR4-GTFB-17A
GE Lumination	LED Ball	8-inch	Green	Clear	DR4-GCFB-17A
GE Lumination	LED Ball	12-inch	Red	Tinted	DR6-RTFB-17A
GE Lumination	LED Ball	12-inch	Red	Clear	DR6-RCFB-17A
GE Lumination	LED Ball	12-inch	Yellow	Tinted	DR6-YTFB-17A-YX1
GE Lumination	LED Ball	12-inch	Yellow	Clear	DR6-YCFB-17A-YX1
GE Lumination	LED Ball	12-inch	Green	Tinted	DR6-GTFB-17A
GE Lumination	LED Ball	12-inch	Green	Clear	DR6-GCFB-17A
Dialight	LED Ball	8-inch	Red	Tinted	433-1110-003XL
Dialight	LED Ball	8-inch	Red	Tinted	433-1115-003XL
Dialight	LED Ball	8-inch	Red	Clear	433-1170-003XL
Dialight	LED Ball	8-inch	Green	Tinted	433-2120-001XL
Dialight	LED Ball	8-inch	Green	Tinted	433-2125-001XL
Dialight	LED Ball	8-inch	Green	Clear	433-2170-001XL
Dialight	LED Ball	8-inch	Yellow	Tinted	433-3130-901XL
Dialight	LED Ball	8-inch	Yellow	Tinted	433-3135-901XL
Dialight	LED Ball	8-inch	Yellow	Clear	433-3170-901XL
Dialight	LED Ball	12-inch	Red	Tinted	433-1210-003XL
Dialight	LED Ball	12-inch	Red	Tinted	433-1215-003XL
Dialight	LED Ball	12-inch	Red	Tinted	433-1210-003XLF
Dialight	LED Ball	12-inch	Red	Clear	433-1270-003XL
Dialight	LED Ball	12-inch	Red	Clear	433-1275-003XL
Dialight	LED Ball	12-inch	Green	Tinted	433-2220-001XL
Dialight	LED Ball	12-inch	Green	Tinted	433-2225-001XL
Dialight	LED Ball	12-inch	Green	Tinted	433-2220-001XLF
Dialight	LED Ball	12-inch	Green	Clear	433-2270-001XL
Dialight	LED Ball	12-inch	Green	Clear	433-2275-001XL
Dialight	LED Ball	12-inch	Yellow	Tinted	433-3230-901XL
Dialight	LED Ball	12-inch	Yellow	Tinted	433-3235-901XL
Dialight	LED Ball	12-inch	Yellow	Tinted	433-3230-901XLF
Dialight	LED Ball	12-inch	Yellow	Clear	433-3270-901XL
Dialight	LED Ball	12-inch	Yellow	Clear	433-3275-901XL

ATTACHMENT F  
 75500: LED, INTERTEK DIRECTORY  
 DATED 08/09

**ITE Vehicle Traffic Control Signal Heads: LED Circular Signal Supplement (Adopted June 27, 2005) Continued**

Manufacturer	Signal	Size	Color
Excellence Opto Inc	LED Ball	12-inch	Red
Excellence Opto Inc	LED Ball	12-inch	Red
Excellence Opto Inc	LED Ball	12-inch	Green
Excellence Opto Inc	LED Ball	12-inch	Green
Excellence Opto Inc	LED Ball	12-inch	Yellow
Excellence Opto Inc	LED Ball	12-inch	Yellow
Leotek	LED Ball	8-inch	Red
Leotek	LED Ball	8-inch	Red
Leotek	LED Ball	8-inch	Green
Leotek	LED Ball	8-inch	Green
Leotek	LED Ball	8-inch	Yellow
Leotek	LED Ball	8-inch	Yellow
Leotek	LED Ball	12-inch	Red
Leotek	LED Ball	12-inch	Red
Leotek	LED Ball	12-inch	Green
Leotek	LED Ball	12-inch	Green
Leotek	LED Ball	12-inch	Yellow
Leotek	LED Ball	12-inch	Yellow

TRV-R12SG-D2T	Tinted	
TRV-R12SG-D2T-C	Clear	
TRV-G12SG-D2T	Tinted	
TRV-G12SG-D2T-C	Clear	
TRV-Y12SG-D1T	Tinted	
TRV-Y12SG-D1T-C	Clear	
TSL-08R-LX-IL3-A1	Tinted	
TSL-08R-LX-IL3-A1-CLR	Clear	
TSL-08G-LX-IL3-A1	Tinted	
TSL-08G-LX-IL3-A1-CLR	Clear	
TSL-08Y-LX-IL3-A1	Tinted	
TSL-08Y-LX-IL3-A1-CLR	Clear	
TSL-12R-LX-IL3-A1	Tinted	
TSL-12R-LX-IL3-A1-CLR	Clear	
TSL-12G-LX-IL3-A1	Tinted	
TSL-12G-LX-IL3-A1-CLR	Clear	
TSL-12Y-LX-IL3-A1-C	Tinted	
TSL-12Y-LX-IL3-A1-C-CLR	Clear	

**ITE Vehicle Traffic Control Signal Heads: LED Vehicle Arrow Traffic Signal Supplement (Adopted July 1, 2007)**

Manufacturer	Signal	Size	Color	Lens Type	Catalogue Number
GE Lumination	LED Omni-Directional Arrow	12-inch	Red	Tinted	DR6-RTAAN-17A
GE Lumination	LED Omni-Directional Arrow	12-inch	Red	Clear	DR6-RCAAN-17A
GE Lumination	LED Omni-Directional Arrow	12-inch	Yellow	Tinted	DR6-YTAAN-17A-YX
GE Lumination	LED Omni-Directional Arrow	12-inch	Yellow	Clear	DR6-YCAAN-17A-YX
GE Lumination	LED Omni-Directional Arrow	12-inch	Green	Tinted	DR6-GTAAN-17A
GE Lumination	LED Omni-Directional Arrow	12-inch	Green	Clear	DR6-GCAAN-17A
Dialight	LED Omni-Directional Arrow	12-inch	Red	Tinted	432-1314-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Red	Tinted	432-1315-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Red	Tinted	432-1314-001XODF
Dialight	LED Omni-Directional Arrow	12-inch	Red	Clear	432-1374-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Red	Clear	432-1375-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Green	Tinted	432-2324-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Green	Tinted	432-2325-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Green	Tinted	432-2324-001XODF
Dialight	LED Omni-Directional Arrow	12-inch	Green	Clear	432-2374-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Green	Clear	432-2375-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Yellow	Tinted	431-3334-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Yellow	Tinted	431-3335-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Yellow	Clear	431-3374-001XOD
Dialight	LED Omni-Directional Arrow	12-inch	Yellow	Tinted	431-3334-901XOD

DATED 08/09

## ITE Vehicle Traffic Control Signal Heads: LED Vehicle Arrow Traffic Signal Supplement (Adopted July 1, 2007) Continued

Manufacturer	Signal	Size	Color	Lens Type	Catalogue Number
Dialight	LED Omni-Directional Arrow	12-inch	Yellow	Tinted	431-3335-901XOD
Dialight	LED Omni-Directional Arrow	12-inch	Yellow	Tinted	431-3334-901XODF
Excellence Opto Inc	LED Omni-Directional Arrow	12-inch	Red	Tinted	TRA-R12DG-IN
Excellence Opto Inc	LED Omni-Directional Arrow	12-inch	Green	Tinted	TRA-G12DG-IN
Excellence Opto Inc	LED Directional Arrow	12-inch	Yellow	Tinted	TRA-Y12DG-IN
Leotek	LED Omni-Directional Arrow	12-inch	Red	Tinted	TSL-12RA-LD-A1
Leotek	LED Omni-Directional Arrow	12-inch	Red	Clear	TSL-12RA-LD-A1-CLR
Leotek	LED Omni-Directional Arrow	12-inch	Green	Tinted	TSL-12GA-LD-A1
Leotek	LED Omni-Directional Arrow	12-inch	Green	Clear	TSL-12GA-LD-A1-CLR
Leotek	LED Omni-Directional Arrow	12-inch	Yellow	Tinted	TSL-12YA-LD-A1
Leotek	LED Omni-Directional Arrow	12-inch	Yellow	Clear	TSL-12YA-LD-A1-CLR

## ITE Pedestrian Traffic Control Signal Indications - Part 2: LED Pedestrian Traffic Signal Modules (Adopted March 19, 2004)

Manufacturer	Signal	Size	Color	Lens Type	Catalogue Number
GE Lumination	LED Pedestrian Hand/Person Overlay	12-inch	White & Orange	Clear Frosted	PS6-CFL1-26A
GE Lumination	LED Pedestrian Person	12-inch	White	Clear Frosted	PS6-WFM3-26A
GE Lumination	LED Pedestrian Hand	12-inch	Orange	Clear Frosted	PS6-PFH1-26A
GE Lumination	LED Pedestrian Hand/Person Side-by-Side	16-inch	White & Orange	Clear Frosted	PS7-CFC1-26A
GE Lumination	LED Pedestrian Hand/Person Overlay Countdown*	16-inch	White & Orange	Clear Frosted	PS7-CFF1-26A
GE Lumination	LED Pedestrian Hand/Person Overlay Countdown*	16-inch	White & Orange	Clear Frosted	PS7-CFF1-26A-MB
Dialight	LED Pedestrian Hand	9-inch	Orange	Clear Frosted	430-5570-001X
Dialight	LED Pedestrian Person	9-inch	White	Clear Frosted	430-7570-001X
Dialight	LED Pedestrian Hand	12-inch	Orange	Clear Frosted	430-5770-001X
Dialight	LED Pedestrian Hand	12-inch	Orange	Clear Frosted	430-5770-801X
Dialight	LED Pedestrian Hand/Person Overlay	12-inch	White & Orange	Clear Frosted	430-6772-001X
Dialight	LED Pedestrian Hand/Person Overlay	12-inch	White & Orange	Clear Frosted	430-6772-801X
Dialight	LED Pedestrian Hand/Person Overlay	12-inch	White & Orange	Clear Frosted	430-6772-001XF
Dialight	LED Pedestrian Person	12-inch	White	Clear Frosted	430-7771-001X
Dialight	LED Pedestrian Person	12-inch	White	Clear Frosted	430-7771-801X
Dialight	LED Pedestrian Hand/Person Side-by-Side	16 x 18 inch	White & Orange	Clear Frosted	430-6450-001X
Dialight	LED Pedestrian Hand/Person Side-by-Side	16 x 18 inch	White & Orange	Clear Frosted	430-6450-801X
Dialight	LED Pedestrian Hand/Person Side-by-Side	16 x 18 inch	White & Orange	Clear Frosted	430-6450-001XF
Dialight	LED Pedestrian Hand/Person Overlay	16 x 18 inch	White & Orange	Clear Frosted	430-6472-001X
Dialight	LED Pedestrian Hand/Person Overlay	16 x 18 inch	White & Orange	Clear Frosted	430-6472-001XF
Dialight	LED Pedestrian Hand/Person Overlay Countdown*	16 x 18 inch	White & Orange	Clear Frosted	430-6479-001X
Dialight	LED Pedestrian Hand/Person Overlay Countdown*	16 x 18 inch	White & Orange	Clear Frosted	430-6479-801X
Dialight	LED Pedestrian Hand/Person Overlay Countdown*	16 x 18 inch	White & Orange	Clear Frosted	430-6479-001XF
Excellence Opto Inc	LED Pedestrian Hand/Person Side-by-Side	16-inch	White & Orange	Clear Frosted	TRP-C45DG-W2
Excellence Opto Inc	LED Pedestrian Hand/Person Overlay Countdown*	16-inch	White & Orange	Clear Frosted	TRP-C45D3154C10

ITE Pedestrian Traffic Control Signal Indications - Part 2: LED Pedestrian Traffic Signal Modules (Adopted March 19, 2004) Continued

<u>Manufacturer</u>	<u>Signal</u>	<u>Size</u>	<u>Color</u>	<u>Lens Type</u>	<u>Catalogue Number</u>
Leotek	LED Pedestrian Person	12-inch	White	Clear Frosted	TP12B-WM
Leotek	LED Pedestrian Hand	12-inch	Orange	Clear Frosted	TP12B-EH
Leotek	LED Pedestrian Hand/Person Overlay	12-inch	White & Orange	Clear Frosted	TP12H-HM
Leotek	LED Pedestrian Hand/Person Overlay Countdown*	16-inch	White & Orange	Clear Frosted	TSL-PED-16-CIL-9
Leotek	LED Pedestrian Hand/Person Side-by-Side	16-inch	White & Orange	Clear Frosted	TSL-PED-16-DIL

\* - Certification for Hand/Person only, countdown not covered in current specification